

ROBUSTO H SELF RETRACTABLE LANYARD

- Low-maintenace
- Wire
- Aluminum housing

A strong self retractable lanyard (SRL) with aluminum housing and steel wire that requires low-maintenance.

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ MEWPs
- ✓ Confined space
- ✓ Scaffolding
- ✓ Rope access
- ✓ Telecom
- ✓ Wind energy

OVERVIEW

Robusto H is a SRL from IKAR with aluminum housing and galvanized wire for best durability. The SRL is tested over sharp edge in accordance with CNB 11.060 2008 "sharp edge test type A".

With its easy-to-grip and large carrying handle, the equipment is easy to carry between different workplaces. Thanks to the choice of material in Robust H, the SRL does not require as much maintenance as other devices.



SPECIFICATION

PRODUCT PROPERTIES

Attaching connector 1	Housing: not included
Attaching connector 2	Rope: 2-way snap hook
Gate feature	2-way
Adjustable under load	No
Energy absorber	Yes
Fall indicator	Yes
Maximum number of users	1
Maximum load (kg)	136.0
Material	Galvanized steel, Aluminum
Rope	6mm galvanized steel cable

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 360 : 2002, CNB/P11.060 Type A

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Warranty	2 year
Identification	Serial number

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Danish (DA), Dutch (NL), English (EN), Finnish (FI), French (FR), German (DE), Hungarian (HU), Italian (IT), Norwegian (NO), Polish (PL), Portuguese (PT), Romanian (RO), Slovenian (SL), Spanish (ES), Swedish (SV)



IMAGES



