



IKAR PLW

WINCH

- 30 meters
- Approved for lifting of person and load

A winch for lifting or descending a person or load.

SEGMENTS

- ✓ General industry
- ✓ Confined space

OVERVIEW

PLW from IKAR is a winch that is approved for lifting and descending both people and loads. The winch is used in cases where the risk of falls in shafts, tunnels, wells or sewage systems is high. PLW can be mounted on either a tripod, davit arm or block to be able to safely lift and lower the load.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Adjustable under load	Yes
Energy absorber	No
Fall indicator	No
Lifting mechanics	Hand crank
Maximum rope length (m)	30.0
Maximum load (kg)	300.0
Minimum breaking strength - MBS (kN)	18.76
Material	Steel, Stainless steel
Functions	Descend function, Lifting function, Vinch function
Rope	Stainless steel cable, 6mm

CLASSIFICATION

Notified body	0158, DEKRA Testing and Certification, Dinnendahlstr 9, DE-44809 Bochum, Germany
---------------	--

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Danish (DA), Dutch (NL), English (EN), Finnish (FI), French (FR), German (DE), Greek (EL), Hungarian (HU), Italian (IT), Norwegian (NO), Polish (PL), Portuguese (PT), Romanian (RO), Slovenian (SL), Spanish (ES), Swedish (SV)

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE