

ST 102

HARNESS ST 102

- Max 140 kg user weight
- Two sizes
- Textile loops for front attachment

Basic full-body harness with a rear steel D-ring and front webbing loops and manual buckles.

SEGMENTS

✓ Pitch roof work
✓ General industry

ARTICLES

HS102SYB-A	SAFE TIME, ST 102, M/L ¤
HS102SYB-B	SAFE TIME, ST 102, L/XL ¤

OVERVIEW

ST 102 has adjustable buckles on the legs and chest and adjustable shoulder, chest and thigh straps. The harness is perfect for those that need a harness for more basic heigh work where work positioning isn't necessary. The harness is offered in two different sizes, M/L and L/XL.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

SPECIFICATION

PRODUCT PROPERTIES

Front A-point	Textile loops
Chest buckles	PVC buckle
Back A-point	Galvanized steel 50 mm> 22kN
Leg buckles	Manual steel buckles
Adjustable under load	No
Fall indicator	No
Maximum number of users	1
Maximum load (kg)	140.0
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	15.0
Material	Polyamide

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 361 : 2004
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES





CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE