



ST FLEX SOFT EAS

FALL ARREST LANYARD FLEX SOFT EAS

- CE certified hooks
- Approved for 100 kg
- Elastic webbing

Flex soft is a double fall arrest lanyard with flexible webbing for work in environments such as scaffolding, mobile platforms and industries.

ARTICLES

AWFY2CK60-180	SAFETIME FLEX SOFT EAS
---------------	------------------------

OVERVIEW

ST Flex Soft EAS is designed to suit those who need to move or climb while working at heights. With double hooks, you always have a hook anchored when you move with the other hook – ensuring optimal safety when climbing various structures. The fall arrest lanyard is manufactured as a flexible tube with internal elasticity, which allows you to stretch the line to a maximum length of 1.9 meters. At the beginning of the rope, there is an external absorber mounted which is released and make sure you are not hurt in case of a fall.

The cover on the absorber can easily be replaced if it becomes dirty or damaged.







SPECIFICATION

PRODUCT PROPERTIES

Attaching connector 1	No carabiner, by separat
Attaching connector 2	Big steel hook with 50 mm opening
Energy absorber	Yes
Fall indicator	Yes
Mechanics	Tear-webbing absorber
Maximum number of users	1
Maximum load (kg)	100.0
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	15.0

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 355 : 2002
Notified body	VVUU

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2YEAR
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)



IMAGES





