

SLING SN 20 NEON

SLING SN 20 NEON

- Multi-certified
- Cross-functional
- Colour coded

20 mm wide webbing sling with unique colours for each length.

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ MEWPs
- ✓ Offshore
- ✓ Confined space
- ✓ Scaffolding
- ✓ Rope access
- ✓ Telecom
- ✓ Wind energy

ARTICLES

SSN20ONB-120	SAFE TIME, SN 20 NEON, 120 CM
SSN20ONG-060	SAFE TIME, SN 20 NEON, 60 CM
SSN20ONO-100	SAFE TIME, SN 20 NEON, 100 CM
SSN20ONR-080	SAFE TIME, SN 20 NEON, 80 CM
SSN20ONY-150	SAFE TIME, SN 20 NEON, 150 CM

OVERVIEW

SN 20 Neon is a multi-certified sling (EN 354:2010, EN 566:2017, EN 795:2012 Type B), that we offer colour coded in 4 different lengths.

A sling is used to set up an anchor or a belay in which you connect your personal fall protection equipment.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Maximum number of users	1
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	22.0
Material	Polyester

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 354 : 2010, EN 566 : 2017, EN 795 : 2012 Type B
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic


ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE