



SLING SN 20 WITH EYELET

SLING SN 20 WITH EYELET

- Multipel certified
- With a sewn loop
- Colorcoded seems

20 mm sling with sewn eye

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ MEWPs
- ✓ Offshore
- ✓ Confined space
- ✓ Scaffolding
- ✓ Rope access
- ✓ Telecom
- ✓ Wind energy

ARTICLES

SSNE20OB-060	SAFE TIME, SN 20 WITH EYE, 60CM
SSNE20OB-080	SAFE TIME, SN 20 WITH EYE, 80CM
SSNE20OB-120	SAFE TIME, SN 20 WITH EYE, 120CM
SSNE20OB-150	SAFE TIME, SN 20 WITH EYE, 150CM

OVERVIEW

A soft sling, with sewn eye and color coded length.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Maximum number of users	1
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	30.0
Material	Polyester

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 354 : 2010, EN 566 : 2017, EN 795 : 2012 Type B
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE