



ST 111

HARNESS ST 111

- Max 140 kg user weight
- Light weight
- Removable chest harness


Comfortable 4 point harness, designed for technical work such as rope access.

ARTICLES

HS111QB-A-SET	SAFE TIME, ST 11 Harness, M/L ¤
HS111QB-B-SET	
HS111QB-C-SET	ST 111 Q-XXL

OVERVIEW

ST 111 is equipped with rear and side steel D-rings, two front D-rings where the chest D-ring is in Steel and the waist one is aluminium. The harness consists of two removable parts, the shoulder part can be completely separated and the user has the opportunity to use the harness as a sit harness. Textile loops for rescue from confined and narrow spaces are attached to the upper shoulder part of the harness. This harness is perfect for people working with rope access who wants a reliable and highly functional harness. The harness is offered in two different sizes, M/L and L/XL.







SPECIFICATION

PRODUCT PROPERTIES

Front A-point	Galvanized steel 50 mm> 22kN
Chest buckles	Karabiner
Back A-point	Galvanized steel 50 mm> 22kN
Back adjuster	Steel Adjuster
Side D-rings	D-rings of aluminium
Side adjuster	Steel adjuster
Leg buckles	Steel adjuster
Padding material	Mech padding
Adjustable under load	No
Maximum number of users	1
Maximum load (kg)	140.0
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	15.0
Material	Polyamide

CLASSIFICATION


PPE-category	Category 3
EN-standard	EN 358 : 2018, EN 361 : 2004, EN 813 : 2008
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic


ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Decl	aration of Conformity	Yes
Man	ual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)





IMAGES





