



ST PERSONAL PLUS Q

SAFE TIME SAFETY BELT



- double D rings
- Tool Loops
- Lightweight

The PERSONAL PLUS belt is used to secure and stabilize the working position.

SEGMENTS

- ✓ General industry

ARTICLES

BSPER+QB-A	ST Personal Plus QB M/L
BSPER+QB-B	ST Personal Plus QB L/XL
BSPER+QB-C	ST Personal Plus QB XXL

OVERVIEW

The belt has two stabilizing eyes to hold an additional rope or shortener. Material hinges are designed for hanging carabiners and other equipment weighing up to 10 kg. The belt is fastened with a quick release buckle. The length of the circumferential strap is adjustable. It is possible to attach a pocket for material/tools to the belt.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Side D-rings	45 mm D-rings in galvanized steel
Padding material	Breathable material in 3-D mesh
Adjustable under load	No
Energy absorber	No
Fall indicator	No
Maximum number of users	1
Maximum load (kg)	150.0
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	22.0
Material	Polyamide, Steel

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 358 : 2018
Notified body	1019, WVU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE