



KONEKT I1C2G

KONEKT HOOK

- 11 mm
- Sewn loops with snaphook

Konekt is a connecting lanyard with sewn loops and a snaphook. Certified as EN 354 and EN 795.



ARTICLES

ARI1C2G-15	KONEKT Hook, 15 M
------------	-------------------

OVERVIEW

With a thickness of 11 mm and sewn loops. Its durable polyamide core sheath rope material makes it robust and suitable for industrial service and rope work. And can be combined with openable rope lock's. See the rope lock manual.

SPECIFICATION

PRODUCT PROPERTIES

Attaching connector 1	Snapphook
Attaching connector 2	Sewn loop
Adjustable under load	No
Energy absorber	No
Fall indicator	No
Maximum number of users	1
Material	Galvanized steel, Polyamide
Rope	11 mm

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 354 : 2010, EN 795 : 2012 Type B
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Greek (EL), Italian (IT), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE