



FIREMAN SAFETY BELT

BELT FIREMAN

- Steel D ring and textile loop
- Tool Loops, Y - sling, a steel carabiner
- Lightweight

The popular safety belt for firefighters FIREMAN serves to secure and stabilize the working position.

SEGMENTS

- ✓ General industry

ARTICLES

| | |
|-----------|--------------------------|
| BSFIRSY-B | FIREMAN safety belt L/XL |
| BSFIRSY-A | FIREMAN safety belt M/L |
| BSFIRSY-C | FIREMAN safety belts XXL |

OVERVIEW

The safety belt is intended for firefighters; it serves as an excellent equipment carrier and allows for securing a working position. The strength of the textile and steel loop on the belt is tested to withstand 15 kN. The belt is fastened with a manual buckle. Material loops are designed for attaching carabiners and other equipment weighing up to 10 kg. In case of danger, it serves as an emergency means of rescue from depths and heights. The safety belt includes a Y-sling with a steel carabiner used to create a "seat" in case of rescue, which is conveniently stored in a textile pocket for every eventuality.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

| | |
|--------------------------------------|---|
| Side D-rings | 45 mm D-ring in galvanized steel and textile loop |
| Padding material | Breathable material in 3-D mesh |
| Adjustable under load | No |
| Maximum number of users | 1 |
| Maximum load (kg) | 150.0 |
| Minimum working temperature (c) | -20.0 |
| Maximum working temperature (c) | 60.0 |
| Minimum breaking strength - MBS (kN) | 22.0 |
| Material | Polyamide, Steel |

CLASSIFICATION

| | |
|---------------|--|
| PPE-category | Category 3 |
| EN-standard | EN 358 : 2018 |
| Notified body | 1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic |

ANNUAL INSPECTION

| | |
|-------------------|---------------------------------------|
| Annual inspection | Yes, every 12 months |
| Life span | 10 years |
| Warranty | 2+1 year when registered in Inspector |
| Identification | Serial number |
| RFID | No |

DOCUMENTS

| | |
|---------------------------|--|
| Declaration of Conformity | Yes |
| Manual languages | Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV) |

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE