



# FIREMAN Q SAFETY BELT

## FIREMAN BELT

- Steel D ring and textile loop
- Lightweight, and with Quickbuckles.

The popular safety belt for firefighters FIREMAN serves to secure and stabilize the working position.

### SEGMENTS

- ✓ General industry

## ARTICLES

BSFIRQY-A	FIREMAN Q safety belt M/L
BSFIRQY-B	FIREMAN Q safety belt L/XL
BSFIRQY-C	FIREMAN Q safety belt XXL

## OVERVIEW

The safety belt is intended for firefighters; it serves as an excellent equipment carrier and allows for securing a working position. The strength of the textile and steel loop on the belt is tested to withstand 15 kN. The belt is fastened with a quick buckle. Material loops are designed for attaching carabiners and other equipment weighing up to 10 kg. In case of danger, it serves as an emergency means of rescue from depths and heights. The safety belt includes a Y-sling with a steel carabiner used to create a "seat" in case of rescue, which is conveniently stored in a textile pocket for every eventuality.

### CRESTO GROUP

Diabasgatan 16  
254 68 Helsingborg  
Sweden

T. +46 (0)42 563 00  
E. support@crestogroup.com  
www.crestogroup.com

**CRESTO GROUP**  
EXPECT MORE

## SPECIFICATION

### PRODUCT PROPERTIES

Adjustable under load	No
Maximum number of users	1
Maximum load (kg)	150.0
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	60.0
Minimum breaking strength - MBS (kN)	22.0
Material	Polyamide, Steel

### CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 358 : 2018
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic

### ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2+1 year when registered in Inspector
Identification	Serial number
RFID	No

### DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Czech (CS), Danish (DA), Dutch (NL), English (EN), Estonian (ET), Finnish (FI), French (FR), German (DE), Norwegian (NO), Polish (PL), Slovak (SK), Spanish (ES), Swedish (SV)

## IMAGES



### CRESTO GROUP

Diabasgatan 16  
254 68 Helsingborg  
Sweden

T. +46 (0)42 563 00  
E. [support@crestogroup.com](mailto:support@crestogroup.com)  
[www.crestogroup.com](http://www.crestogroup.com)

**CRESTO GROUP**  
EXPECT MORE