



## UNITE

### CONNECTING LANYARD 9597

- 12 mm
- Durable polyamide kernmantle rope
- Sewn loops

Unite is a connecting lanyard with sewn loops.

#### SEGMENTS

- ✓ General industry
- ✓ Rope access

## ARTICLES

|           |                     |
|-----------|---------------------|
| 012265401 | Cresto, Unite, 0.4m |
| 012265402 | Cresto, Unite, 0,5m |
| 012265403 | Cresto, Unite, 0.6m |
| 012265404 | Cresto, Unite, 0.7m |
| 012265405 | CRESTO, UNITE, 0.8M |
| 012265406 | Cresto, Unite, 0.9m |
| 012265407 | Cresto, Unite, 1m   |
| 012265408 | Cresto, Unite, 1.2m |
| 012265409 | Cresto, Unite, 1.5m |

## OVERVIEW

Unite is a connecting lanyard with a thickness of 12 mm and sewn loops. Its durable material in kernmantle rope in polyamide makes it robust and suitable work in industrial service and rope access.

#### CRESTO GROUP

Diabasgatan 16  
254 68 Helsingborg  
Sweden

T. +46 (0)42 563 00  
E. support@crestogroup.com  
www.crestogroup.com

**CRESTO GROUP**  
EXPECT MORE

## SPECIFICATION

### PRODUCT PROPERTIES

|                                      |                                                                          |
|--------------------------------------|--------------------------------------------------------------------------|
| Energy absorber                      | No                                                                       |
| Fall indicator                       | No                                                                       |
| Maximum number of users              | 1                                                                        |
| Maximum load (kg)                    | 140.0                                                                    |
| Minimum working temperature (c)      | -40.0                                                                    |
| Maximum working temperature (c)      | 100.0                                                                    |
| Minimum breaking strength - MBS (kN) | 28.0                                                                     |
| Material                             | Polyamide                                                                |
| Rope                                 | 12 mm kernmantle rope in polyamide by the brand Patron from Teufelberger |

### CLASSIFICATION

|               |                                                                              |
|---------------|------------------------------------------------------------------------------|
| PPE-category  | Category 3                                                                   |
| EN-standard   | EN 354 : 2010                                                                |
| Notified body | 1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic |

### ANNUAL INSPECTION

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Annual inspection | Yes, every 12 months                                             |
| Life span         | 10 + 2 years. Product lifecycle 10 years + 2 years stock keeping |
| Warranty          | 2+1 year when registered in Inspector                            |
| Identification    | Serial number                                                    |
| RFID              | Yes                                                              |

### DOCUMENTS

|                           |                                                                                                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------|
| Declaration of Conformity | Yes                                                                                                           |
| Manual languages          | English (EN), Swedish (SV), Norwegian (NO), Danish (DA), Finnish (FI), German (DE), French (FR), Spanish (ES) |

## IMAGES



### CRESTO GROUP

Diabasgatan 16  
254 68 Helsingborg  
Sweden

T. +46 (0)42 563 00  
E. [support@crestogroup.com](mailto:support@crestogroup.com)  
[www.crestogroup.com](http://www.crestogroup.com)

**CRESTO GROUP**  
EXPECT MORE