



SIMO+ S

WORK POSITIONING LANYARD2370

- Easy one hand-adjusting grip
- light wheight
- Certified as EN 358

Support lanyard with soft one handed-adjusting grip.

SEGMENTS

- ✓ Pitch roof work
- ✓ Tower climber
- ✓ MEWPs
- ✓ Offshore
- ✓ Confined space
- ✓ Telecom


ARTICLES

012204210	Cresto, Simo+ S, 1,5 m
012204211	Cresto, Simo+ S, 2 m
012204212	Cresto, Simo+ S, 2,5 m
012204213	Cresto, Simo+ S, 5 m
012204214	Cresto, Simo+ S, 10 m
012204215	Cresto, Simo+ S, 20 m
012204216	Cresto, Simo+ S, 30 m
012204217	Cresto, Simo+ S, 40 m
012204218	Cresto, Simo+ S, 3 m
012204219	Cresto, Simo+ S, 15 m
012204220	Cresto, Simo+ S, 50 m

OVERVIEW

Simo+ S is a work positioning lanyard with softly balanced one-hand adjustment grip. Made of 11 mm kernmantle rope coated with polyamide, the rope is very resistant to weather and wind. The rope is therefore advantageously used for products that will withstand sharp edges and tough weather conditions.

The support rope is lightweight as all components except the rope are in aluminum.





SPECIFICATION

PRODUCT PROPERTIES

Attaching connector 1	Oval twist carabiner in aluminum
Attaching connector 2	2-way aluminum snap-hook
Adjustable under load	Yes
Energy absorber	Yes
Fall indicator	No
Mechanics	Friktion absorbing in ropegrab.
Maximum number of users	1
Maximum load (kg)	140.0
Minimum working temperature (c)	-40.0
Maximum working temperature (c)	100.0
Minimum breaking strength - MBS (kN)	15.0
Material	Polyamide
Rope	11 mm 32-braided kernmantle rope. Cover and core in Polyamide.

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 358 : 2018
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic


ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Warranty	2+1 year when registered in Inspector
Identification	Serial number
RFID	Yes

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Danish (DA), English (EN), Finnish (FI), French (FR), German (DE), Greek (EL), Norwegian (NO), Spanish (ES), Swedish (SV)





IMAGES





