



## **ARMUR SINGLE-H**

# SELF RETRACTABLE LANYARD W2H - SCAFF

- Light weight
- Approved for horizontal use

The Armur Single-H is one of the smallest and lightest self retractable lanyard on the market with scaffold hook.

#### **SEGMENTS**

- ✓ General industry
- ✓ MEWPs
- ✓ Scaffolding

#### **ARTICLES**

012212207 Cresto, Armur Single-H, 2m	
--------------------------------------	--

#### **OVERVIEW**

Like the Armur Single-S, Armur Single-H is one of the smallest and lightest self retractable lanyards on the market but with a large hook instead of a snap hook. The design is robust and the 20 mm wide Dyneema webbing is strong and durable. The self retractable lanyard is approved for horizontal use and is therefore well suited for mobile platforms and scaffolding.

With a self-retracting and self-locking connecting lanyard, braking mechanism reacts smoothly and limits the users fall distance to a minimum. Thanks to its light weight, it is easy to connect the device to the harness's anchor point in the back.



### **SPECIFICATION**

#### **PRODUCT PROPERTIES**

Attaching connector 1	Oval screwgate carabiner in aluminum
Attaching connector 2	Aluminum hook with 60 mm opening
Energy absorber	Yes
Fall indicator	Yes
Maximum number of users	1
Maximum load (kg)	140.0
Minimum working temperature (c)	-30.0
Maximum working temperature (c)	50.0
Minimum breaking strength - MBS (kN)	15.0
Material	Dyneema
Rope	20 mm Dyneema

#### **CLASSIFICATION**

PPE-category	Category 3
EN-standard	EN 360 : 2002, CNB/P11.060 Type A
Notified body	0598, SGS Fimko Ltd, Takomotie 8, FI-00380 Helsinki, Finland

#### **ANNUAL INSPECTION**

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2+1 year when registered in Inspector
Identification	Serial number
RFID	Yes

#### **DOCUMENTS**

Declaration of Conformity	Yes
Manual languages	English (EN), Swedish (SV), Norwegian (NO), Danish (DA), Finnish (FI), German (DE), Estonian (ET)



## **IMAGES**





