



SIMO+ H-A

WORK POSITIONING LANYARD 2371



- ANSI certified carabiner and hook
- light weight
- Certified for EN 358

A work positioning lanyard with a simple one-hand adjustment and ANSI certified carabiner and hook.

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ MEWPs
- ✓ Offshore
- ✓ Scaffolding
- ✓ Wind energy

ARTICLES

012204230	Cresto, Simo+ H-A, 1,5 m
012204231	Cresto, Simo+ H-A, 2 m
012204233	Cresto, Simo+ H-A, 5 m
012204234	Cresto, Simo+ H-A, 10 m
012204235	Cresto, Simo+ H-A, 20 m
012204237	Cresto, Simo+ H-A, 40 m

OVERVIEW

Simo+ H-A is a work positioning lanyard with softly balanced one-hand adjustment grip. Made of 11 mm kernmantle rope coated with polyamide, the rope is very resistant to weather and wind. The rope is therefore advantageously used for products that will withstand sharp edges and tough weather conditions.

The difference between Simo+ H-A and Simo+ S is that this model has ANSI certified carabiner and a big ANSI certified hook with 64 mm opening.

The support rope is lightweight as all components except the rope are in aluminum.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Attaching connector 1	ANSI certified trippellock carabiner in aluminum
Attaching connector 2	Big ANSI certified aluminum hook with 64 mm opening
Adjustable under load	Yes
Energy absorber	Yes
Fall indicator	No
Mechanics	Friction absorbing in ropegrab
Maximum number of users	1
Maximum load (kg)	140.0
Minimum working temperature (c)	-40.0
Maximum working temperature (c)	100.0
Minimum breaking strength - MBS (kN)	15.0
Material	Polyamide
Rope	11 mm 32-braided kernmantle rope. Cover and core in Polyamide.

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 358 : 2018
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Warranty	2+1 year when registered in Inspector
Identification	Serial number
RFID	Yes

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	Danish (DA), English (EN), Finnish (FI), French (FR), German (DE), Greek (EL), Norwegian (NO), Spanish (ES), Swedish (SV)

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE