



ALU-CTR OMNI-SHAPE

CARABINER 9656

- Unique shape
- Breaking strength 20kN
- 3-way opening

Alu-CTR Omni-shape is a unique aluminum carabiner.

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ MEWPs
- ✓ Confined space
- ✓ Scaffolding
- ✓ Telecom
- ✓ Wind energy

ARTICLES

012249952	Cresto, Alu-CTR Omni-shape
-----------	----------------------------

OVERVIEW

Alu-CTR Omni-shape is a carabiner in aluminum with a unique triangle shaped that makes it possible with load on 3 different points. The carabiner has a 3-way opening.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Gate opening (mm)	19.0
Gate feature	2-way
Adjustable under load	No
Energy absorber	No
Fall indicator	No
Minimum breaking strength - MBS (kN)	20.0
Material	Aluminum

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 362 : 2004
Notified body	0321, SATRA Technology Centre, Wyndham Way, Telford Way, NN16 8SD Kettering, Northamptonshire, United Kingdom

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	English (EN), Swedish (SV), Norwegian (NO), Danish (DA), Finnish (FI), German (DE), Estonian (ET)

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE