



ALU-CTW-A PEAR-SHAPE

CARABINER 9669

- ANSI and EN standard
- Breaking strength 25kN
- Easy and grip friendly gate

Alu-CTW-A Pear-shape is a multicertified carabiner in aluminium.

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ MEWPs
- ✓ Offshore
- ✓ Confined space
- ✓ Scaffolding
- ✓ Rope access
- ✓ Telecom
- ✓ Wind energy

ARTICLES

012249967	Cresto, Alu-CTW-A Pear-shape
-----------	------------------------------

OVERVIEW

Alu-CTW-A Pear-shape is a classic pear shaped carabiner in aluminum with a 2-ways locking. The carabiner is multicertified according to both ANSI and EN standard.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Gate strength (kN)	16.0
Gate opening (mm)	24.0
Gate feature	2-way
Adjustable under load	No
Energy absorber	No
Fall indicator	No
Minimum breaking strength - MBS (kN)	25.0
Material	Aluminum

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 362 : 2004
Notified body	0321, SATRA Technology Centre, Wyndham Way, Telford Way, NN16 8SD Kettering, Northamptonshire, United Kingdom
Other standards	ANSI Z359.1

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	English (EN), Swedish (SV), Norwegian (NO), Danish (DA), Finnish (FI), German (DE), Estonian (ET)

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE