



R-ALF 3:1

RESCUE EQUIPMENT

- 3:1 mechanical advantage
- Self locking
- 20 m working distance

R-ALF is a rescue equipment with lifting and automatic locking function.

SEGMENTS

- ✓ Confined space
- ✓ Scaffolding
- ✓ Wind energy

ARTICLES

012231105	RESQ, R-ALF 3:1, 65m
-----------	----------------------

OVERVIEW

R-ALF is a rescue equipment with lifting and automatic locking function. The device have a mechanical advantage of 3:1 which reduces the applied force for lifting or lowering the person or load. R-ALF 3:1 is approved for loads up to 250kg and is suitable for rescue work, confined space and even positioning work.

If you lose your grip around the rope the R-ALF will immediately lock automatically for your safety. The device is equipped with a 11mm strong and durable kern mantle rope for sustainability and safety.

R-ALF 3:1 has the total work distance reduced by 3 of the total length of the rope. e.g an equipment with 65 meter rope will have a working distance of approximately 20 meters.

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Product includes	R-ALF, 65 m of rope (approx. 20 m working distance), bag and 2 pcs of 1 m anchor sling
Packaging type	Bag
Attaching connector 1	Device: Aluminum 2-way
Attaching connector 2	Rope: Aluminum 2-way
Gate strength (kN)	16.0
Gate opening (mm)	24.0
Gate feature	2-way
Adjustable under load	Yes
Energy absorber	No
Fall indicator	No
Mechanics	Pulley 1:3
Lifting mechanics	Pulley 1:3
Maximum number of users	2
Maximum rope length (m)	100.0
Minimum load (kg)	20.0
Maximum load (kg)	250.0
Minimum working temperature (c)	-20.0
Maximum working temperature (c)	50.0
Minimum breaking strength - MBS (kN)	25.0
Material	Polyamide, Aluminum
Functions	Descend function, Lifting function
Rope	11 mm Kernmantel rope, 32-braided, polyamide, 83g/m

CLASSIFICATION

PPE-category	Category 3
Notified body	0102, SGS UK Ltd, Unit 202b Worle Parkway, Weston-superMare, Somerset BS22 6WA, United Kingdom

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year

CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	English (EN), Swedish (SV), Norwegian (NO), Danish (DA), Finnish (FI), Czech (CS)

IMAGES



CRESTO GROUP

Diabasgatan 16
254 68 Helsingborg
Sweden

T. +46 (0)42 563 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE