



# CRESTO SLING 25

## SLING 3683

- 25 mm wide
- 28 kN
- Polyamid



A strong anchor sling with a 25 mm wide polyamid webbing.

### SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ Tower climber
- ✓ Offshore
- ✓ Confined space
- ✓ Scaffolding
- ✓ Rope access
- ✓ Telecom
- ✓ Wind energy

## ARTICLES

|           |                                       |
|-----------|---------------------------------------|
| 012255000 | Cresto, Sling 25mm, 0.6m, grey        |
| 012255002 | Cresto, Sling 25mm, 1m, grey          |
| 012255003 | Cresto, Sling 25mm, 1.2m, grey        |
| 012255004 | Cresto, Sling 25mm, 2m, grey          |
| 012255011 | Cresto, Sling 25mm, 0.8m, grey, 50pcs |
| 012255013 | Cresto, Sling 25mm, 1.2m, grey x50pcs |
| 012255005 | Cresto, Sling 25mm, 1.5m, grey        |

## OVERVIEW

Sling25 is an anchor sling in 25 mm, strong polyamid webbing. The sling is sewn as a circle and can be used as an anchor point in different environments.

### CRESTO GROUP

Diabasgatan 16  
254 68 Helsingborg  
Sweden

T. +46 (0)42 563 00  
E. support@crestogroup.com  
www.crestogroup.com

**CRESTO GROUP**  
EXPECT MORE

## SPECIFICATION

### PRODUCT PROPERTIES

|                                      |                        |
|--------------------------------------|------------------------|
| Maximum number of users              | 1                      |
| Maximum load (kg)                    | 140.0                  |
| Minimum working temperature (c)      | -40.0                  |
| Maximum working temperature (c)      | 100.0                  |
| Minimum breaking strength - MBS (kN) | 28.0                   |
| Material                             | Polyamide              |
| Rope                                 | 25 mm polyamid webbing |

### CLASSIFICATION

|                 |                                                                              |
|-----------------|------------------------------------------------------------------------------|
| EN-standard     | EN 354 : 2010, EN 566 : 2017, EN 795 : 2012                                  |
| Notified body   | 1019, VVUJ, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic |
| Other standards | ANSI Z359.1                                                                  |

### ANNUAL INSPECTION

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Annual inspection | Yes, every 12 months                                             |
| Life span         | 10 + 2 years. Product lifecycle 10 years + 2 years stock keeping |
| Warranty          | 2+1 year when registered in Inspector                            |
| Identification    | Serial number                                                    |
| RFID              | Yes                                                              |

### DOCUMENTS

|                           |                                                                                                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------|
| Declaration of Conformity | Yes                                                                                                           |
| Manual languages          | English (EN), Swedish (SV), Norwegian (NO), Danish (DA), Finnish (FI), German (DE), French (FR), Spanish (ES) |

## IMAGES



### CRESTO GROUP

Diabasgatan 16  
254 68 Helsingborg  
Sweden

T. +46 (0)42 563 00  
E. [support@crestogroup.com](mailto:support@crestogroup.com)  
[www.crestogroup.com](http://www.crestogroup.com)

**CRESTO GROUP**  
EXPECT MORE