

PATRON PLUS 11MM

ROPE 200 METER LENGTH

- MBS 33kN
- Suitable for motor winches

Patron PLUS 11 mm is a static rope with high breaking strength.

SEGMENTS

- ✓ General industry
- Tower climber
- Offshore
- Confined space
- Scaffolding
- Rope access
- Wind energy

ARTICLES

012269987 Teufelberger, Patron Plus 11mm, 200m

OVERVIEW

Patron PLUS 11 mm rope from Teufelberger is developed for applications where high breaking load and durability is required. With a MBS of 33kN and construction makes it suitable for application with motor winches. The ropes cover and core are made from polyamide and the cover is 32 braided for good resistance against dirt and remaining a soft handling.

CRESTO GROUP

Diabasgatan 16 254 68 Helsingborg Sweden T. +46 (0)42 563 00 E. support@crestogroup.com www.crestogroup.com



SPECIFICATION

PRODUCT PROPERTIES

Adjustable under load	No
Energy absorber	No
Fall indicator	No
Minimum breaking strength - MBS (kN)	33.0
Material	Polyamide
Rope	11mm 32-braided kernmantle with core and cover in Polyamide. Elongation 3%, weight/m: 75g

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 1891 : 1998

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Life span	10 years
Warranty	2 year
Identification	Batch number
RFID	No

DOCUMENTS

Declaration of Conformity Yes

CRESTO GROUP

Diabasgatan 16 254 68 Helsingborg Sweden T. +46 (0)42 563 00 E. support@crestogroup.com www.crestogroup.com



IMAGES



CRESTO GROUP

Diabasgatan 16 254 68 Helsingborg Sweden T. +46 (0)42 563 00 E. support@crestogroup.com www.crestogroup.com

