

# RESCUE AND EVACUATION SOLUTIONS



**RESQ® CRESTO®**

# RESQ®




## SOLO X EVACUATION DEVICE

### **Your personal, pocket sized lifesaver**

We have developed the world's smallest and most easy-to-use, personal evacuation device - RESQ Solo X. Because there are no second chances in an emergency.



# RESQ®



## RED PRO X EXTENDED RESCUE AND EVACUATION BOX


### **When every second counts. Intuition rules.**

The latest generation automatic evacuation and rescue device with superior properties. Delivered as a complete set with a RESQ Vacuum+ storage box made from recycleable polypropylen, and an accessory kit.





# RESQ®




## SMARTLINE X ULTRA VACUUM EVACUATION DEVICE

### A smaller personal evacuation equipment.

Smartline X is one of the worlds smallest evacuation devices on the market with a remarkable capacity of 140 kg user weight and 200 meter descent distance. This device is delivered in vacuum sealed packaging with RESQ Quick Access opening.



# CRESTO®



## FUSION PRO WIND HARNESS 1138

### Details matter. Enhanced comfort.

The 1138 harness is designed exclusively for wind power technicians. It is a durable and long-lasting harness with highly specialized features that allow you to focus on the job at hand. Forged to the highest standards from our Swedish DNA.




# VACUUM SOLUTIONS

UP TO **30 YEARS** PRODUCT LIFECYCLE  
LONG TERM **COST SAVING**  
LOWER **ENVIRONMENTAL** FOOTPRINT

## WHAT IS VACUUM PACKING?

The vacuum pack ensures that condensation or moisture cannot appear inside the bag and cause corrosion. Furthermore, the vacuum guarantees that the components cannot move around, and therefore, they do not abrade. Additionally, an unopened vacuum package is both easy and quick to inspect locally, giving the customer the chance to make significant cost savings when inspecting their rescue equipment. As our vacuum package is the original from 2004, there is no comparable or better solution on the market.



## RESQ VACUUM PACKING SOLUTIONS

<b>SMARTLINE X ULTRA VACUUM</b> <ul style="list-style-type: none"><li>50-200m</li><li>10 years lifetime</li></ul>	<b>RED PRO X MOBILE VACUUM</b> <ul style="list-style-type: none"><li>50-200m</li><li>10 + 10 years lifetime</li></ul>	<b>RED PRO X COMPACT VACUUM+</b> <ul style="list-style-type: none"><li>50-185m</li><li>15 + 15 years lifetime</li></ul>	<b>SOLO X WIND, SOLO X+ TECH VACUUM+</b> <ul style="list-style-type: none"><li>50-300m</li><li>15 + 15 years lifetime</li></ul>
<b>SMARTLINE X VACUUM</b> <ul style="list-style-type: none"><li>15m, 25m</li><li>10 years lifetime</li></ul>	<b>RED PRO X BASIC VACUUM LIGHT</b> <ul style="list-style-type: none"><li>25-100m</li><li>5 years lifetime</li></ul>	<b>RED PRO X ORIGINAL VACUUM</b> <ul style="list-style-type: none"><li>50-200m</li><li>10 + 10 years lifetime or 10 + 15 if upgraded to Vacuum+ Extended</li></ul>	<b>RED PRO X EXTENDED VACUUM+</b> <ul style="list-style-type: none"><li>50-200m</li><li>15 + 15 years lifetime</li></ul>



# RESQ RED PRO X

## NO COMPROMISES VERIFIED PERFORMANCE

RESQ RPX is the latest generation of rescue and evacuation equipment from RESQ – designed and developed for easy use, with intuitive functions.

The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from great heights and lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified.

## FEATURES

The design and functionality of the device are based on insights from professionals working at heights daily. RPX is designed to give height workers verified confidence in extreme environments and for easy implementation of user training and inspections.

### USABILITY

Single-sided use for safe handling, all features in the front – no more losing valuable time, twisting and turning the device to double-check. Universal power tool interface for heavy lifting, up to 255 m. Top-mounted swivel for optimal positioning, even in tight conditions and confined space. Laser printed, easy to read data and pictograms, engraved on the device. Verified and tested to weight and descent of 280 kg/255 m.

### LIFTING

The device comes with a lifting function where the connection of machine-driven accessories simplifies and facilitates lifting at longer distances as standard. With the help of a power tool, the equipment can lift 140 kg for a distance of 255 m.

### TRAINING

RPX requires a minimum of training which equals low TCO (total cost of ownership) for maintenance of training certificates for your workforce. Due to the easily recognisable and intuitive design on both rescue equipment and accessories, the kit is practical and cost efficient to introduce to an already trained workforce that holds GWO or a similar height training certificate.



**RED PRO X ORIGINAL**

**Rescue and evacuation device, box**

Delivered as a complete set, including an accessory kit, in a RESQ Vacuum storage box made from recycleable polypropyle.

50 m	087003212050
75 m	087003212075
83 m	087003212083
90 m	087003212090
100 m	087003212100
105 m	087003212105
125 m	087003212125
140 m	087003212140
150 m	087003212150
160 m	087003213160
175 m	087003223175
180 m	087003223180
200 m	087003223200



**RED PRO X EXTENDED**

**Rescue and evacuation device, box**

Delivered as a complete set, including an accessory kit, in a RESQ Vacuum+ storage box made from recycleable polypropyle.

50 m	087003312050
75 m	087003312075
83 m	087003312083
90 m	087003312090
100 m	087003312100
105 m	087003312105
125 m	087003312125
140 m	087003312140
150 m	087003312150
160 m	087003323160
175 m	087003323175
180 m	087003323180
200 m	087003323200



**RED PRO X MOBILE**

**Rescue and evacuation device, liftbag**

Delivered as a complete set, including an accessory kit, in a RESQ Vacuum lifting pack. Note that certified lifetime for the lifting bag is 5 years.

50 m	087003231050
75 m	087003231075
83 m	087003231083
100 m	087003231100
125 m	087003231125
150 m	087003231150
175 m	087003231175
200 m	087003231200




**RED PRO X BASIC**

**Rescue and evacuation device, bag**

RPX Basic is delivered as a complete set, including an accessory kit, in a RESQ bag.

25 m	087003111025
40 m	087003111040
50 m	087003111050
60 m	087003111060
75 m	087003111075
83 m	087003111083
90 m	087003111090
100 m	087003111100
105 m	087003111105
110 m	087003111110
120 m	087003111120
125 m	087003111125
150 m	087003111150
160 m	087003111160



**RED PRO X COMPACT**

**Rescue and evacuation device, bag**

RPX Compact is delivered as a complete set, including an accessory kit, in a RESQ bag.

95 m	087005511095
100 m	087005511100
175 m	087005511175
185 m	087005511185



**ACCESSORY PAC**

**Rescue accessory kit**

A kit for rescue equipment with lifting function.

- 1. 1 pcs Edge
- 2. 1 pcs Rescue Rope Grab
- 3. 3 pcs Carabiners, N-267G-CP
- 4. 1 pcs Small Single Pulley
- 5. 1 pcs 0.8 m Anchor Sling
- 6. 2 pcs 1.2 m Anchor Sling

9 pcs	012230025
-------	-----------



# RESQ SOLO X

## THE WORLD'S SMALLEST AND LIGHTEST AUTOMATIC EVACUATION DEVICE

RESQ SOLO X is a fully automatic pocket-sized lifesaver, engineered to eliminate human error when every second counts.

The SOLO X dramatically reduces evacuation time by being readily accessible and self-activating. Its intuitive design ensures easy use, providing a clear evacuation plan and significantly enhancing user safety by gently lowering the user to the ground in a controlled descent.

## FEATURES

The intuitive design of SOLO X ensures easy use, and its small size and light weight makes it convenient to bring along as part of the safety equipment when working at heights.

### USABILITY

The device is small and lightweight, with a thin, high-performance line. It is self-activated, has an integrated swivel that reduces the risk of rope twist, and uses an advanced centrifugal brake system for controlled descent.

The packaging solution is designed with convenience and efficiency in mind, where the equipment is pre-configured for quick access, thanks to the ultra light bag in bag **RESQ Rope Retaining System**. The bag is crafted from highly durable materials.



### SOLO X WIND

#### Evacuation device, bag

Delivered as a complete set in RESQ bag with RESQ Rope Retaining System

50 m	08110222050
75 m	08110222075
100 m	08110222100
125 m	08110222125
150 m	08110222150
175 m	08110222175
200 m	08110222200
225 m	08110223225
250 m	08110223250
275 m	08110223275
300 m	08110223300



### SOLO X+ TECH

#### Evacuation device, bag

Rescue ready evacuation device. Delivered as a complete set in RESQ bag with RESQ Rope Retaining System

50 m	08100224050
75 m	08100224075
100 m	08100224100
125 m	08100224125
150 m	08100224150
175 m	08100224175
200 m	08100224200
225 m	08100224225
250 m	08100224250
275 m	08100224275
300 m	08100224300



# SMARTLINE X

## LIGHT AND INTUITIVE GREAT CAPACITY

### FEATURES

RESQ Smartline X is, in its class, the smallest and lightest personal evacuation equipment due to its high capacity and size. With a maximum load of 140 kg, maximum descent distance of 200 m, and a total weight of 3.8 kg (200 m), Smartline X becomes unique.

With weights from 2 to 3,8 kg, it is easy to carry the equipment attached to the harness to ensure availability in an emergency, wherever you are in the elevated workplace.


The Aramid rope has an incredible strength-to-diameter ratio and has heat resistance to over 480° C. Therefore Smartline X is also effective where a sudden fire appears.

- **HEAT RESISTANT**
- **MAXIMUM USER WEIGHT 140 KG**
- **CAN BE MOUNTED ON THE HARNESS**
- **UP TO 200 M**



### SMARTLINE X EL/TELE

Smartline X El/Tele Vacuum is developed especially for pole and tower workers but can also be used for most evacuations and rescues for heights up to 25 m. Smartline X is a small, manually controlled descent device for evacuation. It can also easily be configured for lifting a person shorter distances in a rescue.





**SMARTLINE X ULTRA**

**Evacuation equipment**

Delivered in a red bag with shoulder straps.

50 m	012230120
75 m	012230125
100 m	012230121
125 m	012230122
150 m	012230123
200 m	012230124



**SMARTLINE X ULTRA  
VACUUM**

**Evacuation equipment**

Delivered in a vacuum-packed red bag with shoulder straps.

50 m	012230130
75 m	012230131
80 m	012230137
100 m	012230132
125 m	012230133
150 m	012230134
160 m	012230136
200 m	012230135



**SMARTLINE X EL/TELE  
VACUUM**

**Evacuation equipment**

Delivered in a small bag together with sling and carabiner.

15 m	012230142
25 m	012230143



**SMARTLINE X TRAINING**

**Training kit**

Complete training kit for accredited instructors.

012231098
-----------

# OTHER RESCUE EQUIPMENT




### SLIX 100 KIT

#### Rescue Stretcher, Bridles and Bag

With its flexible material and smooth finish, SLIX100 is always ready to slide into action. Complete the set with this kit, which includes all you need to be fully prepared for your next rescue operation.

SLIX 100 KIT
--------------



### SLIX ROLLABLE RESCUE STRETCHER

#### Rescue Stretcher

SLIX100 is flexible, robust, and always ready for action. This truly versatile rescue device is designed to take on real-world challenges. SLIX is for those who respect safety and efficiency in equal measure.

SLIX100
---------



### SLIX HALF STRETCHER

#### Rescue Stretcher

In emergencies, every second counts. SLIX Half Stretcher is your rapid and reliable go-to stretcher for quick and efficient patient transport.

SLIX HALF STRETCHER
---------------------



### R-ALF 3:1

#### Rescue equipment

3:1 mechanical advantage. Delivered in a RESQ Lifting bag and together with a sling. Approx. 20 m working distance.

65 m	012231105
------	-----------



### R-ALF 5:1

#### Rescue equipment

5:1 mechanical advantage. Delivered in a RESQ Lifting bag and together with a sling. Approx. 20 m working distance.

100 m	012231101
-------	-----------



### PULLEY AID SYSTEM

#### Pulley System

The Pulley Aid System is a small pulley system used as a help during lifting 6:1 ratio. This system is CE marked compared to our previous Pulley System.

1.2-1.3 m	012270192
4.5 m	012270191
6 m	012270193



# BAGS



### BOLT BAG

#### Bag for small items

The Bolt Bag collection offers cylindrical bags designed for bolts and other small items, featuring an uncomplicated closure for quick and easy access.

S	012260222
L	012260223



### TOOL BUCKET

#### Tool storage and transport

The Tool Bucket features a unique locking system for easy access and anchor points for tool lanyards for added convenience.

13 l	012260213
------	-----------



### TOOLPRO

#### Tool storage and transport

The Tool Pro 15 ensures easy use with its unique cord and brake closure, five-loop system for organization, and an additional textile handle for quick maintenance.

15 l	012260212
------	-----------



### BACKPACK/LIFT

#### Backpack 9450

This RESQ branded backpack is suitable for storage and moving ropes and rescue equipment.

48 l	012260038
------	-----------



### KITBAG

#### Kit bag 9443

A simple bag for storage of your equipment.

38 l	012260036
------	-----------



### ROPE BAG

#### Pulley System

The Rope Bag collection provides robust, waterproof bags in three different sizes.

M	012260242
L	012260243
XL	012260244


# ACCESSORIES



## SMALL SINGLE PULLEY Pulley

This lightweight pulley from ISC is a given component when working at height and is useful in a variety of environments.

012265021



## RESCUE ROPE-GRAB Rope grab for rescue

Rescue Rope-Grab is used together with your rescue equipment for rescues from fall arrest systems.

012265088



## SLING 25 3683

A strong anchor sling with a 25 mm wide polyamid webbing.


0.6 m	012255000
0.8 m	012255001
1 m	012255002
1.2 m	012255003
1.5 m	012255005
2 m	012255004



## EDGE PROTECTION KIT Edge protection

Edge Protection Kit is used together with your rescue equipment for over edge rescues.

012290011



## N-267G-CP Carabiner

Steel carabiner with 2-way gate opening and captive pin.

012249949



## WIRE ANCHOR STROP Anchoring 9103

Strong wire sling that is used as a temporary anchor point. Complement the sling with carabiner 012250064 CT, Pillar Steel SG.

1 m	012255105
1.5 m	012255110
2 m	012255113



**EVACUATION HARNESS**  
**Harness 6711**

Simple evacuation harness to be used with an evacuation device when the user does not have a fall protection harness.

012232001



**RESQ UP**  
**Power tool kit**

DeWalt Power tool for lifting operations with RED Pro X. Max capacity 150 m lifting. Kit includes Power tool, 2 batteries (9 Ah), charger, tool lanyard and connecting sling.

RUP-3-001



**CRESTO CROWN**  
**ELECTRO**

**9445**

Light safety helmet, electrically insulated and prepared to be easily fitted with visor and earmuffs

White	012263101
Yellow	012263102
Blue	012263103
Red	012263104
Hi-viz	012263105





# PERSONAL FALL ARREST EQUIPMENT



## ENERGY PRO WIND

### Harness 1136 - Wind

This is a customised version of the Energy Pro Harness (1136), designed for work in wind turbines. Also in hi-viz, see website.

S	012200501
M	012200502
L	012200503
XL	012200504




## FUSION ACTIVE+ WIND

### Harness 1137

This harness has excellent comfort and fits the body perfectly. It is the ultimate harness for wind technicians.

S/M	012200610
L/XL	012200620




## FUSION PRO WIND

### Harness 1138

An ANSI certified version of our popular harness 1137. Developed together with professionals from the wind industry.

S/M	012200630
L/XL	012200640
XXL	012200650





## FUSION PRO SINGLE-FLEX & TWIN-FLEX

### Fall arrest lanyard 1601 and 1602

These two fall arrest lanyards are made with flexible webbing and have ANSI certificates. The maximum user weight is 140 kg.

#### 1601

1.8 m	012203845
-------	-----------

#### 1602

1.8 m	012203835
-------	-----------




## ENERGY TWIN-FLEX H 140 KG

### Fall arrest lanyard 1302-TF

Energy Twin-Flex is a double fall arrest lanyard with flexible webbing for work in, for example, scaffolding, mobile platforms and industries.

1.8 m	012203205
-------	-----------




## SIMO H-A

### Work positioning lanyard 2343

A work positioning lanyard with a simple one-hand adjustment and ANSI certified carabiner and hook.

1.5 m	012204040
2 m	012204041
5 m	012204042
10 m	012204043
30 m	012204045
2 m, Simo CE	012204047



## SIMO PRO H-A

### Work positioning lanyard 2353

A work positioning lanyard with a simple one-hand adjustment and ANSI certified with ANSI carabiner and hook. End-loop for shortening the slack when climbing.

1.0 m	012204065
1,5 m	012204066
1,8 m	012204067
2,0 m	012204068
2,5 m	012204069







## TRAINING

We have extensive experience in the delivery of safety at heights training. Visit our website [crestosafety.com](https://www.crestosafety.com) for more information and complete training programme.

We are also certified to deliver GWO training courses. All courses can be held at our training centres in Sweden and Norway. Many courses can also be offered on-site at your location.

- **GWO WORKING AT HEIGHTS (WAH)**
- **GWO FIRST AID (FA)**
- **GWO SEA SURVIVAL (SS)**
- **GWO MANUAL HANDLING (MH)**
- **GWO FIRE AWARENESS (FAW)**
- **GWO ENHANCED FIRST AID (EFA)**
- **GWO ADVANCED RESCUE TRAINING (ART)**

## PARTNERS

We have an extensive network of partners around the world. To find your local reseller, training or service partner, go to [www.crestosafety.com/contact/find-partners-and-resellers](https://www.crestosafety.com/contact/find-partners-and-resellers) or scan the code.



PARTNERS & RESELLERS

### BECOME A PARTNER

We are always looking for new reseller, training and service partners.

To find out more and apply, go to [www.crestosafety.com/support/partner-program.html](https://www.crestosafety.com/support/partner-program.html) or scan the code.



PARTNER PROGRAM

