

# Cresto, Fusion Pro Wind 1138

## Harness 1138

- ANSI/EN certified
- Ergonomic
- Optimal fit

EN 358 : 2018

EN 361 : 2002



### Product description

The Cresto Fusion Pro Wind 1138 is a high-performance full-body harness designed specifically for professionals working at height in the wind energy sector. Built for endurance, comfort, and rescue readiness, it combines advanced safety features with a fit that adapts to the demands of offshore and tower-based tasks. The harness is equipped with a helicopter-rescue-approved front D-ring and a rear D-ring with self-luminous functionality – providing enhanced visibility in low-light or confined environments. A unique teardrop-shaped webbing construction beneath the seat distributes pressure more evenly during suspension, reducing fatigue and improving ergonomics in case of a fall or extended hang time. Constructed using Cresto's signature NordGuard™ polyester webbing, the Fusion Pro Wind withstands extreme environmental temperatures from -40°C to +100°C. Coated steel D-rings and AustriAlpin quick-release buckles ensure top-tier corrosion resistance and ease of use, even with gloves or in wet conditions.

### Product properties

Brand	Cresto
Adjustable under load	Yes
Back adjuster	Quick adjustable painted steel buckles
Back A-point	Plastic overmoeld steel ring self luminous PVC 53 mm
Minimum breaking strength - MBS (kN)	22
Chest buckles	Quick buckles in aluminum with stainless components Strength >22kN
Front A-point	Plastic overmoeld steel ring in self luminus PVC 53 mm
Leg buckles	Quick buckles in aluminum with stainless components Strength >22kN
Material	Polyester Nordguard ™
Maximum load (kg)	140
Min/Max load (kg)	30 / 140

Min/Max working temperature (c)	- 40 / 100
Maximum number of users	1
Maximum working temperature (c)	100
Minimum working temperature (c)	-40
Padding material	Breathable 3-D mesh
Side adjuster	Quick adjustable painted steel buckles
Side D-rings	Plastic overmoeld steel ring in black PVC 53 mm
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 358 : 2018, EN 361 : 2002
Warranty	2+1 year when registered in Inspector
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic
Other standards	ANSI Z359.11-2014
RFID	Yes

Article information

Article number	Article name	Size	Colors	Net weight (kg)
012200640	Cresto, Fusion Pro Wind, L/XL	L/XL	Black/Grey	2.77
012200630	Cresto, Fusion Pro Wind, S/M	S/M	Black/Grey	2.71
012200650	Cresto, Fusion Pro Wind, XXL	XXL	Black/Grey	2.87

Article number	Article name	GTIN	Tariff number	UNSPSC Code	Country of origin
012200640	Cresto, Fusion Pro Wind, L/XL	7350015799950	6307909899	46182306	Slovakia
012200630	Cresto, Fusion Pro Wind, S/M	7350015799943	6307909899	46182306	Slovakia
012200650	Cresto, Fusion Pro Wind, XXL	7350015790209	6307909899	46182306	Slovakia

Article number	Article name	Packaging type	W(cm)	H(cm)	L(cm)	Gross weight (kg)
012200640	Cresto, Fusion Pro Wind, L/XL	Carton	0	0	0	3
012200630	Cresto, Fusion Pro Wind, S/M	Carton	0	0	0	2.94
012200650	Cresto, Fusion Pro Wind, XXL	Carton	0	0	0	3.1