

# Cresto, Single-Edge H 1503

## Fall arrest lanyard 1503

- Single fall arrest lanyard
- 60 mm hooks
- Edge tested 11,5 mm polyamide rope



EN 355 : 2002

PPE-R/11.074, V3

### Product description

A fall arrest lanyard with rope that is tested and approved for users up to 100 kg. The 12 mm thick rope makes it enduring. The fall arrester is located in an openable bag to make it easier to carry out an annual inspection in accordance with EN 365. The product is suitable for work where the user does not need to reconnect. Tested and approved with fall over edge.

### Product properties

Brand	Cresto
Attaching connector 1	No Carabiner
Attaching connector 2	No Hook
Minimum breaking strength - MBS (kN)	15
Energy absorber	Yes
Fall indicator	Yes
Maximum load (kg)	100
Min/Max load (kg)	40/100
Maximum number of users	1
Mechanics	Tear-webbing absorber
Maximum working temperature (c)	100
Minimum working temperature (c)	-40
PPE-category	Category 3
Declaration of Conformity	Yes

EN-standard	EN 355 : 2002, PPE-R/11.074, V3
Warranty	2+1 year when registered in Inspector
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic
RFID	Yes

Article information

Article number	Article name	Colors	H(cm)	Net weight (kg)
012203730	Cresto, Single-Edge H	Black/Grey	200	0.9
012203732	Cresto, Single-Edge, ( No hooks )	Black/Grey		0.32

Article number	Article name	GTIN	Tariff number	UNSPSC Code	Country of origin
012203730	Cresto, Single-Edge H	7350015791169		46182302	Slovakia
012203732	Cresto, Single-Edge, ( No hooks )	7350015791176	56090000	46182302	Slovakia

Article number	Article name	Packaging type	W(cm)	H(cm)	L(cm)	Pieces / Pack
012203730	Cresto, Single-Edge H	Carton				1
012203732	Cresto, Single-Edge, ( No hooks )	Carton	11	22	22	1