

Cresto, Worker Industrial

Fall arrest kit

- Single edge tested fall arrest lanyard
-



EN 355 : 2002

EN 361 : 2004

EN 362 : 2004

EN 363 : 2018

EN 795 : 2012 Type B

Product description

When working in construction and industry, it is important to work safely. Our fall protection kit Worker Industrial is suitable for you who work in a variety of environments in construction and industry. The kit includes a Worker Base harness, a 2 meters fall arrest lanyard tested and approved over edge, and an anchor sling, all packed in a practical bag. The difference between this fall protection kit and Worker Industrial Pro is that this package contains a simple fall arrest lanyard that fits in environments where large movement is not required. Our Worker range is affordable products with high quality and comfort - in our own brand Cresto. With Worker you get products with high quality and long service life that provide safety when working at heights.

Product properties

Brand	Cresto
Minimum breaking strength - MBS (kN)	15
Material	Aluminum , Polyamide, Polyester
Maximum load (kg)	100
Maximum number of users	1
Maximum working temperature (c)	100
Minimum working temperature (c)	-40
Packaging type	Bag
PPE-category	Category 3
EN-standard	EN 355 : 2002, EN 361 : 2004, EN 362 : 2004, EN 363 : 2018, EN 795 : 2012 Type B
Warranty	2+1 year when registered in Inspector
Identification	Serial number

Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic
RFID	Yes

Article information

Article number	Article name	Size	Colors	Net weight (kg)
012220040	Cresto, Worker Industrial, One Size, 2m	One size	Black/Grey	2.403

Article number	Article name	GTIN	Tariff number	Country of origin
012220040	Cresto, Worker Industrial, One Size, 2m	7350015791527	63079098	Slovakia

Article number	Article name	Thigh circ. (cm)	shoulder-waist (cm)
012220040	Cresto, Worker Industrial, One Size, 2m	49 - 84 cm	59 - 81 cm