

RED PRO X MOBILE

Rescue and evacuation device

- · Extremely good lifting capacity
- Water sealed brake housing
- In lift certified bag

Standards:

EN 341: 2011

EN 1496 : 2017

ANSI Z359.4-2013

CSA Z259.2.3-12



Product description

The latest generation automatic evacuation and rescue device with superior properties.

RESQ RPX is the latest generation of rescue and evacuation equipment from RESQ – designed and developed for easy use with intuitive functions. The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from high heights, lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified.

The design and functionality of the device are based on insights from professionals working at heights daily. RPX is designed to give height workers verified confidence in extreme environments and for easy implementation of user-training and inspections.

Single-sided use for safe handling - all features on frontside - no more losing valuable time, twisting and turning the device to double-check. Universal power tool-interface for heavy lifting, up to 255m. Top-mounted swivel for optimal positioning, even in tight conditions and confined space. Laser printed, easy to read data and pictograms, engraved direct and permanently on the body. 280 kg – 255m verified and tested decent weight and height!

The device comes with a lifting function where the connection of machine-driven accessories simplifies and facilitates lifting at longer distances as standard. With the help of a power tool, the equipment can lift a load of 140 kg at a distance of 255 meters.

RPX requires a minimum of training which equals Low TCO for maintenance of training certificates for your workforce. Due to the easily recognizable and intuitive design on both rescue equipment and accessories, the kit is both practical and cost-efficient to introduce to already trained workforce which holds GWO or similar height training certificate.

RPX Mobile is delivered as a complete set in RESQ Vacuum (service interval of 10 years), lifting pack and accessory kit.

Material shortages due to the pandemic have resulted in the need for Cresto Group to periodically and temporarily replace certain components on our products with replacement components fulfilling the same function. Due to this, the product images may differ from that which is delivered.

Product properties	
Brand:	RESQ
Material:	Polyamide, Aluminum , Techno polymers
Minimum load (kg):	40
Maximum load (kg):	200
Maximum number of users:	2
Minimum working temperature (c):	-40
Maximum working temperature (c):	60

EN-standard:	EN 341 : 2011, EN 1496 : 2017					
Other standards:	ANSI Z359.4-2013, CSA Z259.2.3-12					
Notified body:	0200, FORCE Certification A/S, Main office, Park Allé 345, DK-2605 Brondby, Denmark					
Annual inspection:	Yes, every 12 months					
Life span:	10 + 10 years. Product lifecycle 10 years + 10 years after service. Lifting bag, 5 years					
RFID:	Yes					
Warranty:	2 year					
Product Includes:	Rescue accessory kit, Sling 3683, Rope grab for rescue, Edge Protection kit, Pulley, Carabiner N-267G-CP					
Declaration of Conformity:	Yes					
Rope:	Polyamide/polyamide 32-braided kernmantel construction 9,6mm					
Maximum rope length (m):	m rope length (m): 255					
Fall indicator:	No					
Maximum descent:	255 meters					
Descent speed (m/s): 0,9-1,6						
Minimum breaking strength - MBS (kN):	20					
Energy absorber:	No					
Gate feature:	twist lock					
Gate strength (kN):	16					
Attaching connector 1:	Device: Aluminum carabiner with swivel					
Attaching connector 2:	Rope: Aluminum carabiner					
Functions:	Descend function, Lifting function					
Extra functions:	Lift with external power source					
Mechanics:	Centrifugal brake					
Lifting mechanics:	Gear, ratio 1:9					
Adjustable under load:	Yes					
Reference Article name		Size (m)	Colors	GTIN	Country of origin	
087003231050 RESQ, RPX200 Mobile, 50m, lift bag, vacuum, accs.		50	BLACK	7350015799226	Slovakia	
087003231075 RESQ, RPX200 Mobi	le, 75m, lift bag, vacuum, accs.	75	BLACK	7350015799233	Slovakia	

087003231083	RESQ, RPX200 Mobile, 83m, lift bag, vacuum, accs.	83	BLACK	7350015799851	Slovakia
087003231100	RESQ, RPX200 Mobile, 100m, lift bag, vacuum, accs.	100	BLACK	7350015799240	Slovakia
087003231125	RESQ, RPX200 Mobile, 125m, lift bag, vacuum, accs.	125	BLACK	7350015799257	Slovakia
087003231150	RESQ, RPX200 Mobile, 150m, lift bag, vacuum, accs.	150	BLACK	7350015799264	Slovakia
087003231175	RESQ, RPX200 Mobile, 175m, lift bag, vacuum, accs.	175	BLACK	7350015799271	Slovakia
087003231200	RESQ, RPX200 MOBILE, 200M, LIFT BAG, VACUUM, ACCS.	200	BLACK	7350015799288	Slovakia