

RED PRO X COMPACT

Rescue and evacuation device, bag

- Additional inner mesh bag for rope retaining connected to the device
- Intuitive and easy to use
- Portable with 15 years service interval

Standards: **EN 341 : 2011** **EN 1496 : 2017** **ANSI Z359.4-2013**
CSA Z259.2.3-12



Product description

RED Pro X Compact, a portable rescue equipment to bring with you but with the same benefits as RED Pro X Extended.

RESQ RPX is the latest generation of rescue and evacuation equipment from RESQ – designed and developed for easy use with intuitive functions. The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from high heights, lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified.

The design and functionality of the device are based on insights from professionals working at heights daily. RPX is designed to give height workers verified confidence in extreme environments and for easy implementation of user-training and inspections.

Single-sided use for safe handling - all features on frontside - no more losing valuable time, twisting and turning the device to double-check. Universal power tool-interface for heavy lifting, up to 255m. Top-mounted swivel for optimal positioning, even in tight conditions and confined space. Laser printed, easy to read data and pictograms, engraved direct and permanently on the body. 280 kg – 255m verified and tested decent weight and height!

The device comes with a lifting function where the connection of machine-driven accessories simplifies and facilitates lifting at longer distances as standard. With the help of a power tool, the equipment can lift a load of 140 kg at a distance of 255 meters.

RPX requires a minimum of training which equals Low TCO for maintenance of training certificates for your workforce. Due to the easily recognizable and intuitive design on both rescue equipment and accessories, the kit is both practical and cost-efficient to introduce to already trained workforce which holds GWO or similar height training certificate.

RPX Compact is delivered as a complete set in RESQ Vacuum+ (service interval of 15 years) accessory kit, which includes: 2 carabiners in steel, twist-lock, 1 edge-protector, 1 pulley, 1 rope-grab for rescue and 2 pcs. sling, 120cm long. All packed in reinforced RESQ bag. Yearly inspection labels included in the bag.

Product properties

ProductMinMaxStorageTemperature: -40/+60 °C

Brand: RESQ

Material: Polyamide, Aluminum , Techno polymers

Min/Max load (kg): 40/280

Minimum load (kg): 40

Maximum load (kg): 200

Maximum number of users: 2

Min/Max working temperature (c): -40/+60 °C

EN-standard:	EN 341 : 2011, EN 1496 : 2017				
Other standards:	ANSI Z359.4-2013, CSA Z259.2.3-12				
Notified body:	0200, FORCE Certification A/S, Main office, Park Allé 345, DK-2605 Brøndby, Denmark				
Annual inspection:	Yes, every 12 months				
Life span:	15 + 15 years. Product lifecycle 15 years + 15 after service				
RFID:	Yes				
Warranty:	2 year				
Product Includes:	Backpack 9450,Sling 3683,Rope grab for rescue,Edge Protection kit,Pulley,Carabiner N-267G-CP				
Declaration of Conformity:	Yes				
Rope:	Polyamide/polyamide 32-braided kernmantle construction 9,6mm				
Maximum rope length (m):	255				
Fall indicator:	No				
Maximum descent:	255m				
Descent speed (m/s):	0,9-1,6				
Minimum breaking strength - MBS (kN):	20				
Energy absorber:	No				
Gate feature:	Twist lock				
Gate opening (mm):	18				
Gate strength (kN):	16				
Attaching connector 1:	Device: Steel carabiner with swivel				
Attaching connector 2:	Rope: Steel carabiner				
Functions:	Descend function, Lifting function				
Extra functions:	Lift with external power source & Mesh bag for rope connected directly in RPX device carabiner				
Mechanics:	Centrifugal brake				
Lifting mechanics:	Gear, ratio 1:9				
Adjustable under load:	Yes				

Reference	Article name	Size (m)	Colors	GTIN	Country of origin
087005511100	RESQ RPX200, Compact, 100m	100	RED	7350015793019	Slovakia
087005511125	RESQ RPX200, Compact, 125m	125	RED	7350015793590	Slovakia

087005511150	RESQ RPX200, Compact, 150m	150	RED	7350015793613	Slovakia
087005511175	RESQ RPX200, Compact, 175m	175	RED	7350015793163	Slovakia
087005511185	RESQ RPX200, Compact, 185m	185	RED	7350015792999	Slovakia
087005511095	RESQ RPX200, Compact, 95m	95	RED	7350015792890	Slovakia